

Nightscaping® *The Safe System*

Color Reference Chart


The Original 12-volt Outdoor Lighting Company



1705 E. Colton Avenue
Redlands, California 92374
(909) 794-2121 Help Line (800) 544-4840
Website: www.nightscaping.com e-mail: info@nightscaping.com

B-04CRC

Nightscaping® Powercenter™ Transformers - Lifetime Warranty, UL 1838 Approved



Nightscaping® Powercenters™ offer you the absolute latest in transformer technology and provide you with real-life solutions to multiple outdoor lighting concerns. Use our SS and H3O series Powercenters™ to guarantee effective, efficient and safe transformer operation for the life of your lighting systems.

Nightscaping® Powercenters™ allow you to elevate the safety of your lighting designs with features like secondary side, tamper-proof fustat protection, stainless steel construction, rain tight design, fire resistance, built-in shock preventions, and more.

Nightscaping® manufactures multiple sizes of transformers and H3O multi-voltage output models for you to choose from. This broad selection combined with the flexibility of a modular control design allow you to custom tailor a safe operating Nightscaping® Powercenter™ to your exact specifications.

- Multiple Sizes: 100VA, 150VA, 250VA, 500VA, 1000VA
- 16-gauge stainless steel uni-body construction
- Four position on/off voltage regulating switch
- Manual on/off control module override
- Large wiring cavity for ease of installation
- ½" conduit adapter for hard-wire installations

Raintite Construction UL, CSA, ARL Wet Location Listed



SS-100W, SS-150W, SS-250W
13" Height
7" Width
5" Depth



SS-500W
16.75" Height
9.625" Width
5.5" Depth



SS-1000W
16.75" Height
9.625" Width
5.5" Depth

All Nightscaping® Powercenters™ can be provided with your choice of the following control options.

- AT Analog Timer
- DT Digital Timer
- PC Photocell
- AP Analog Timer/Photocell
- DP Digital Timer/Photocell
- XO X10 Control
- 12V12V Relay
- SC24V Sprinkler Control
- V600 Dimmer

H3O Series Powercenters™ - Lifetime Warranty - UL 1838 Approved

Use Nightscaping's® H3O Series Powercenters™ where longer than average circuit distances or higher than average voltage demands are present.

H3O Powercenters™ allow you to engineer lighting systems where a centrally located power source is not available. By specifying an H3O you can overcome the lack of an existing or appropriate transformer location without incurring the expense of installing additional power sources.



H30250W
13 Height
7" Width
5" Depth



H30500W
16.75" Height
9.625" Width
5.5" Depth



H301000W
16.75" Height
9.625" Width
5.5" Depth


Legend

Application Usage

- Pathlighting
- Downlighting
- Specialty
- Uplighting
- Backlighting
- Underwater

Nightscaping® reserves the right to modify any product shown.
©2003-2004 contact Nightscaping®
(800) 544-4840 for color samples.







ACROBAT
LOI2010C 20W MR-11
Copper & Brass
Dimensions: 4.1" x 2.1"



AREALITER
LO93 12.3W SC Bayonet
Phosphatized Steel or CU
Height: 32" Installed



ARTISAN
LO2036 20W MR-16
Copper & Brass
Dimensions: 5" x 2"



BRASSIE-11
LO12023 Bi-Pin
Brass
Height: 8.5" Installed



BRUTELITER
AR111 100W
SOLID CAST BRASS
Dimensions 7.750" x 6.50"



BELLELITER
LO93 12.3W SC Bayonet
Cast Aluminum &
Phosphatized Steel
Height: 39.5" Installed



BORDERLITES
(20) LO904 7.5W Wedge Base
Spacing: 12" on Center
20' of Lamps & 5' of Lead




BRICKLITER
(2) LO93 12.3W SC Bayonet
Stainless Steel or CU
Size of Standard Brick



CAMEOLITER
LO2036 20W MR-16
Copper & Brass
Dimensions: 5" x 2"




CELEBRITY
LO2036 20W MR-16
Extruded Aluminum & Steel
Dimensions: 5.5" x 2.5"




CENTURION
LOQ35 35W Bi-Pin
Steel & Aluminum
Height: 40.5" Installed



CHANNELITER
(6) LO194 2.4W Wedge Base
Phosphatized Steel
Spacing: 10" on Center




CHAPERONE
(2) LO2036 20W MR-16
Extruded Aluminum & Steel
Dimensions: 2.5" x 7.5"



CHARMER
LO93 12.3W SC Bayonet
Extruded Aluminum & Steel
Height: 18" Installed



CLAYLITER Closed
LO2036 20W MR-16
Copper
Dimensions: 8.5" x 2"



CLAYLITER Open
LO2036 20W MR-16
Copper
Dimensions: 8.5" x 2"



CONCENTRATOR
LO2036 20W MR-16
Copper & Brass
Dimensions: 4.125" x 2"



CONSTITUTION
LOQ20 20W Bi-Pin
Copper & Brass
Dimensions: 3.5" x 1.75"

Powdercoat Fixture Finishes

- 1 Black
- 2 (Premium) Native Green
- 3 (Premium) Tan
- 4 (Premium) Bronze
- 7 Weathered Iron
- 8 (Premium) Sandstone
- 9 (Premium) Earthtone
- AV (Premium) Antique Verde
- CU (Material) Copper
- CUV (Premium) Copper Verde
- VP (Premium) Verde Paint
- W (Premium) White

Contact Nightscaping® (800) 544-4840 for color samples.
Call for custom color quote.

...Like Our **Commitment**



COURTYARDLITER
LO2036 20W MR-16
Extruded Aluminum & Steel
Height: 78" Installed



COVERLITER
LO2036 20W MR-16
Copper & Brass
Adj. Cover: 4.875" - 7.25"



DECKLITER
LO93 12.3W SC Bayonet
Phosphatized Steel & CU
Dimensions: 4" x 1.75"



DELITER
LO93 12.3W SC Bayonet
Stainless Steel or CU
Height: 26.5" Installed



DIAL-A-LITE
LO912 11.8W Wedge Base
Cast Aluminum
Diameter: 3.5" Depth: 1.75"




DIRECTOR
LO93 12.3W SC Bayonet
Stainless Steel or CU
Height: 23.5" Installed



DOLPHIN
LO4414 14.9W Par-36
Phosphatized Steel or CU
Dimensions: 3.5" x 5.25"



DOWNLITER
LO4414 14.9W Par-36
Phosphatized Steel or CU
Dimensions: 8" x 4.5"




DUALITER
(2) LO2036 20W MR-16
Copper & Brass
Dimensions: 7" x 2"



EL CAMINO
300W - 120V Incandescent
Cast Aluminum Bell
Height: 13.6" Installed




ENVELOPE LITER
LOQ10
Glass Tube with Cap
6" x 3/4"



ESCORT
LO2036 20W MR-16
Extruded Aluminum
Dimensions: 5.5" x 2.5"




EXCELITER
LO2036 20W MR-16
Copper
Dimensions: 4.125" x 2"



EXECUTIVE
LO2036 20W MR-16
Extruded Aluminum
Height: 42" Installed



FERNLITER
LO93 12.3 W SC Bayonet
Cast Aluminum
Dimensions: 5.25" x 6"



...Like Our Quality

Application Usage

- Pathlighting
- Downlighting
- Specialty
- Uplighting
- Backlighting
- Underwater

Nightscaping® reserves the right to modify any product shown. ©2003-2004 contact Nightscaping® (800) 544-4840 for color samples.

Nightscaping® The Safe System



FLIPPER
LO921 16.5W Wedge Base
Non-Corroding Noryl™
Dimensions: 4.5" x 3"




FLOWERLITER
LO93 12.3W SC Bayonet
Cast Aluminum & Steel
Height: 36.5" Installed



FOOTLITER
LO93 12.3W SC Bayonet
Stainless Steel or CU
Dimensions: 14" x 8.5"



GAMBINOLITER
LOQ20 20W Bi-Pin
Aluminum
Dimensions: 4.34" x 3.2"



AW-0403
GUARDIAN
 LO93 12.3W SC Bayonet
 Extruded Aluminum
 Dimensions: 3.5" x 2.5"



GU-1109
HILITER
 LO1156 21.2W SC Bayonet
 Phosphatized Steel or CU
 Height: 8.5" x 3.75"



GD-2612
ILLUMINATOR
 LO1156 21.2W SC Bayonet
 Stainless Steel or CU
 Height: 22 5/8" x 11 3/8"



AD-1309
INFINITYLITER
 LOQ20 20W Bi-Pin
 Cast Aluminum
 Height: 12.5" Installed



GD-0402
INTEGRALITER
 LOQ20 20W Bi-Pin
 Cast Aluminum & Stainless
 Dimensions: 2.1" x 4.5"




GD-0402BR
INTEGRALITER
 LOQ20 20W Bi-Pin
 Cast Aluminum or Brass
 Dimensions: 2.1" x 4.5"



GU-1901CU
JAYLITER
 LO82023C 20W MR-8
 Copper & Brass
 Dimensions: 12.5" x 3.75"



GU-4503
JULIETLITER
 LO2036 20W MR-16
 Aluminum
 Height: 5.5" x 3.625"




AP-3540
La PALMA
 LO921 16.5W Wedge Base
 Cast Aluminum & Phosphatized
 Steel Dimensions: 40.0" x 4.0"




GD-3205, GD-3306, GD-3407
LEAFLITER
 LO93 12.3W SC Bayonet
 Cast Aluminum & Steel
 Height: 32", 33", 34" Installed



DB-0507
LEVELITER
 LO2036 20W MR-16
 Cast Aluminum
 Dimensions: 6.5" x 4.375"



GD-4810
LIBERTYLITER
 LO93 12.3W SC Bayonet
 Phosphatized Steel or CU
 Height: 63.5" Installed x 7" x 9 3/8"



LP-0909
LILYPAD LITER
 LOQ10 10W Bi-Pin
 Poly Styrene
 Dimensions: 9" Over Dim.



GU-6503BR
LIPINSKILITER
 LO2036 20W MR-16
 Brass
 Dimensions: 6" x 3"



GU-0902
LOCATOR
 LO93 12.3W SC Bayonet
 Phosphatized Steel or CU
 Height: 6.875" Installed x 1.75"




GU-1265
MAGNALITER
 LOQ20 20W Bi-Pin
 Composite & Aluminum
 Adj. Height: 5" - 7" Installed x 6.5"



MR-0508
MASTERLITER
 LO2036 20W MR-16
 ABS, Copper & Stainless
 Dimensions: 5.625" x 7.875"



WM-0509
MAXILITER
 LO4414 14.9W Par-36
 Phosphatized Steel or CU
 Dimensions: 4.5" x 7"



WM-0502CU
MAXISPOTTER
 LO2036 20W MR-16
 Copper & Brass
 Dimensions: 4.25" x 2"



GD-1855
McKAYLITER
 (2)LO912 11.8W Wedge Base
 Cast Aluminum & Steel
 Adj. Height: 19" - 25" x 6"




GD-3209CU
MICHELELITER
 LO912 11.8W Wedge Base
 Copper
 Height 24" x 4 1/4" x 9.5"




MB-7306
MICROBORDERLITER
 (101) LO73 .6W Wedge Base
 Spacing: 6" on Center
 50' of Lamps & 5' of Lead



NT-2512
MINIBORDERLITER
 (25) LO194 2.4W Wedge Base
 Spacing: 12" on Center
 25' of Lamps & 5' of Lead



GU-0765
MINIHILITER
 LO93 12.3W SC Bayonet
 Phosphatized Steel or CU
 Height: 9" Installed 5" dia



GU-0703
MINILOCATOR
 LO93 12.3W SC Bayonet
 Phosphatized Steel or CU
 Dimensions: 9.25" x 3.5"



GD-0705
MINILUMINATOR
 LO93 12.3W SC Bayonet
 Phosphatized Steel or CU
 Height: 11" Installed x 5"



GDT503CU
MINI SCOUT
 LOQ20 20W Bi-Pin
 Copper
 Dimensions: 16.25" x 3"




WM-0703
MINISPOTTER
 LO93 12.3W SC Bayonet
 Phosphatized Steel or CU
 Dimensions: 8" x 3"



AW-0303
MINISTYLIST
 LO2036 20W MR-16
 Extruded Aluminum & Steel
 Dimensions: 3.5" x 2.5"



BM-0508
MONETLITER
 LO2036 20W MR-16
 ABS, Brass & Stainless
 Dimensions: 7.875" x 5.625"



GD-1703CU
MUNROLITER
 LOQ20 20W Bi-Pin
 Copper & Brass
 Height: 18" Installed x 2.1"



GD-0905
NAVIGATOR
 LO93 12.3W SC Bayonet
 Phosphatized Steel or CU
 Height: 8" Installed x 5"



WM-0503
NICHELITER
 LO214 7.0W Double-End
 Phosphatized Steel
 Dimensions: 2.75" x 4.5"



ND-1200
NIGHT DIAL
 LO912 11.8W Wedge Base
 Cast Aluminum & Steel
 Height: 36" Installed x 9.5"



NS-0411
NIGHTSCOPE™
 LO6512 65W MR-16
 Extruded & Cast Aluminum
 Dimensions: 5.75" x 12" x 4.3"



RD-0602CU
NOVALITER
 LO2036 20W MR-16
 Copper
 Dimensions: 5" x 2"



BM-2961
O'KEEFFELITER
 LO2036 20W MR-16
 Pressurized Die-Cast Brass
 Dimensions: 2.5" x 5.2" x 3"



GD-1112
PATHLITER
 (2) LO89 6.8W SC Bayonet
 Phosphatized Steel or CU
 Height: 9.125" Installed x 12" x 5 3/4"



PL-1107
PIONEER LANTERN (Large)
 Top LO194 Bottom LO921
 Phosphatized Steel
 Height: 11.25", 5.75"



PL-0706
PIONEER LANTERN
 Top LO194 Bottom LO921
 Phosphatized Steel
 Height: 7.75", 3.75"



GU-0406
PORPOISE
 LO921 16.5W Wedge Base
 Polycarbonate Globe
 Dimensions: 2.25" x 3.125"



WM-3535
POSTLITER
 LO921 16.5W Wedge Base
 Aluminum or CU
 Dimensions: 2.65" x 3.5"



WM-3535CU
POSTLITER
 LO921 16.5W Wedge Base
 Copper
 Dimensions: 2.65" x 3.5"




GU-1305
POWERLITER
 LO4414 14.9W Par-36
 Cast Aluminum & Steel
 Dimensions: 6 1/8" x 4 3/8" x 6.5" dia



GU-9516
POWERLITER II
 LO2036 20W MR-16
 Composite & Aluminum
 Dimensions: 6" x 5" dia




GU-9536
POWERLITER II
 LO4414 14.9W Par-36
 Composite & Aluminum
 Dimensions: 6" x 5" dia



GD-1606
QUADLITER
 LO93 12.3W SC Bayonet
 Stainless Steel or CU
 Height: 16" Installed x 6"



RD-0302
RAILITER
 LO93 12.3W SC Bayonet
 Phosphatized Steel or CU
 Dimensions: 3.5" x 1.75"




GD-3415
ROSE BUD
 (3) LO912 11.8W Wedge Base
 Phosphatized Steel or CU
 Height: 33" Installed x 15"



GD-3815
ROSE STEM
 (3)LO912 11.8W Wedge Base
 Phosphatized Steel or CU
 Height: 38.5" Installed x 18"



GD-4919
ROSELITER
 (3) LO912 11.8W Wedge Base
 Phosphatized Steel or CU
 Height: 52" Installed




RD-0202
SAGITTA
 LO93 12.3W SC Bayonet
 Phosphatized Steel
 Dimensions: 3.5" x 1.5"



GD-2004CU
SAVANA
 LOQ20 20W Bi-Pin
 Copper
 Adjustable: 30" Installed x 4"



DB-0309BR
SAZLITER
 LO93 12.3W SC Bayonet
 PVC & Solid Brass
 Dimensions: 8.625" x 3.5"




GD-1507CU
SCOTT LITER
 LOQ20 20W Bi-Pin
 Copper
 Dimensions: 12" x 7"




GD-1504CU
SCOUT
 LOQ20 20W Bi-Pin
 Copper or Stainless Steel
 Height: 17" Installed x 4"



GD-7520CU
SEEGARLITER
 LO912 11.8W Wedge Base
 Copper
 Height: 24" Installed x 7/8"



GD-1802CU
SHARI-LITER
 LO912 11.8W Wedge Base
 Copper
 Height: 24" Installed



GD-1810
SENTRYLITER
 (2)LO912 11.8W Wedge Base
 Phosphatized Steel & CU
 Height: 18.5" Installed 7" x 9 3/8"



AU-0303
SILHOUTTELITER
 LO93 12.3W SC Bayonet
 Extruded Aluminum & Steel
 Dimensions: 3.5" x 2.5"



RD-0404
SOFFITLITER
 LO93 12.3 SC Bayonet
 Phosphatized Steel or CU
 Recess Mount: 4" x 2.5" dia



GU-0403CU
SOFTLITER
 LO912 11.8W Wedge Base
 Copper
 Dimensions: 5.5" x 3.5"



RU-0602CU
SPACELITER
 LO2036 20W MR-16
 Copper
 Dimensions: 2" x 5"



GS-1102, GS-1402, GS-1702
SPARKLER
 LO93 12.3 SC Bayonet
 Phosphatized Steel or CU
 Height: 9.6", 12.6", 15.4" x 2.5"




TD-0412
SPECTATOR
 LO1156 21.2W SC Bayonet
 Phosphatized Steel or CU
 Dimensions: 11.375" x 3.75"



WM-0902
SPOTTER
 LO93 12.3 SC Bayonet
 Phosphatized Steel or CU
 Dimensions: 9.125" x 1.75"



TD-0302, TD-0702, TD-1002, TD-1302
STARLITER
 LO93 12.3 SC Bayonet
 Phosphatized Steel or CU
 Height: 13", 10", 6.5", 3.5" x 2.5"



AW-0603
STYLIST
 LO2036 20W MR-16
 Extruded Aluminum & Steel
 Dimensions: 5.5" x 2.5"

...Like Our **Reputation**

Application Usage

Pathlighting

Downlighting

Specialty

Uplighting

Backlighting

Underwater

Nightscaping® reserves the right to modify any product shown. ©2003-2004 contact Nightscaping® (800) 544-4840 for color samples.

Nightscaping® The Safe System



UW-0705
SUNFISH
 LO2036 20W MR-16
 Composite
 Dimensions: 6.5" x 4.25"



TD-0502CU
SUNLITER
 LO2036 20W MR-16
 Copper
 Dimensions: 4.25" x 2"



GD-5508CU
TIKILITER
 LO1156 21.2 SC Bayonet
 Copper
 Height: 55" Installed



GH-0412
TORTOISE
 (3) LO2036 20W MR-16
 Cast Aluminum
 Dimensions: 12" x 6.88"



UD-0405
TULITER
 LO912 16.5W Wedge Base
 Phosphatized Steel & CU
 Dimensions: 4.5" x 4"



GH-0406
TURTLE
 LOQ20 20W Bi-Pin
 Cast Aluminum
 Dimensions: 6.6" x 4"



TL-2512
TWINKLELITES
 (25) LO659 2.0W Wedge Base
 Spacing: 12" on Center
 25' of Lamps & 5' of Lead



TS-0302
TWINKLER
 LO257 3.0W Mini Bayonet
 Phosphatized Steel & CU
 Dimensions: 3.5" x 1.75"



BM-4551
VERMEER (Ring)
 LO2036 20W MR-16
 Pressurized Die-Cast Brass
 Dimensions: 5.1" x 3.9"



BM-4552
VERMEER (Grate)
 LO2036 20W MR-16
 Pressurized Die-Cast Brass
 Dimensions: 5.1" x 3.9"




BM-4553
VERMEER (Shield)
 LO2036 20W MR-16
 Pressurized Die-Cast Brass
 Dimensions: 5.1" x 3.9"



BM-4554
VERMEER (Diffuser)
 LO2036 20W MR-16
 Pressurized Die-Cast Brass
 Dimensions: 5.1" x 3.9"



GU-0965
VERSALITER
 LOQ20 20W Bi-Pin
 Cast Aluminum & Steel
 Max Height: 8.0" x 6.25" x 2.0"



GU-1565
VERSALITER II
 LOQ20 20W Bi-Pin
 Cast Aluminum & Steel
 Max Height: 15.0" x 6.25" x 2.0"



GU-0508
WALLITER
 LO4414 14.9W Par-36
 ABS & Stainless Steel
 Dimensions: 7.875" x 5.625" dia



BM-2840
WRIGHTLITER (Eyebrow)
 LO2036 20W MR-16
 Pressurized Die-Cast Brass
 Dimensions: 2.8" x 3.5"



BM-2835
WRIGHTLITER (Ring)
 LO2036 20W MR-16
 Pressurized Die-Cast Brass
 Dimensions: 2.8" x 3.5"



**1515-BD,
 1525-DB, 1538-DB**

ACE CONNECTORS
 Solid Brass
 Weatherproof, Direct Burial
 Connector and Conductor



Nightscaping® reserves the right to modify any product shown. ©2003-2004 contact Nightscaping® (800) 544-4840 for color samples.

*This is why Nightscaping® is the Leader
 in 12-volt Outdoor Lighting Systems*

Nightscaping® The Safe System

1705 E. Colton Avenue
 Redlands, California 92374
 (909) 794-2121 • Help Line (800) 544-4840
 Website: www.nightscaping.com • e-mail: info@nightscaping.com